

INTERNATIONAL RING SIZE CONVERSION CHART

United States Ring Size *	Diameter In Inches*	British Ring Size**	European Ring Size**	Japanese Ring Size**	Circumference in Metric**
1/2	.474	A	-	-	37.8252
3/4	.482	A 1/2	-	-	38.4237
1	.490	B	-	-	39.0222
1 1/4	.498	B 1/2	-	-	39.6207
1 1/2	.506	C	-	1	40.2192
1 3/4	.514	C 1/2	-	-	40.8177
2	.522	D	1	2	41.4162
2 1/4	.530	D 1/2	2	-	42.0147
2 1/2	.538	E	-	3	42.6132
2 3/4	.546	E 1/2	3	-	43.2117
3	.554	F	4	4	43.8102
3 1/4	.562	F 1/2	-	-	44.0487
	-	G	5	5	45.0072
3 1/2	.570	G 1/2	-	6	45.6057
3 3/4	.578	H	6	6	46.2042
4	.586	H 1/2	-	7	46.8027
4 1/4	.594	I	7	8	47.4012
4 1/2	.602	I 1/2	8	-	47.9997
4 3/4	.610	J	-	9	48.5982
5	.618	J 1/2	9	-	49.1967
5 1/4	.626	K	10	10	49.7952
5 1/2	.634	K 1/2	-	-	50.3937
5 3/4	.642	L	11	11	50.9922
6	.650	L 1/2	-	-	51.5907
6 1/4	.658	M	12	12	52.1892
6 1/2	.666	M 1/2	13	13	52.7877
6 3/4	.674	N	-	-	53.4660
7	.682	N 1/2	14	14	54.1044
	-	O	15	14	54.7428
7 1/4	.690	O 1/2	-	15	55.3812
7 1/2	.698	P	16	16	56.0196
7 3/4	.706	P 1/2	-	-	56.6580
8	.714	Q	17	17	57.2964
8 1/4	.722	Q 1/2	18	-	57.9348
8 1/2	.730	R	-	18	58.5732
8 3/4	.738	R 1/2	19	-	59.2116
9	.746	S	20	19	59.8500
9 1/4	.754	S 1/2	-	-	60.4884
9 1/2	.762	T	21	20	61.1268
9 3/4	.770	T 1/2	22	21	61.7652
10	.778	U	-	22	62.4026
10 1/4	.786	U 1/2	23	-	63.0420
10 1/2	.794	V	24	23	63.6804
10 3/4	.802	V 1/2	-	-	64.3188
11	.810	W	25	24	64.8774
11 1/4	.818	W 1/2	-	-	65.4759
11 1/2	.826	X	26	25	66.0744
11 3/4	.834	X 1/2	-	-	66.6720
12	.842	Y	-	26	67.2714
12 1/4	.850	Y 1/2	-	-	67.8699
12 1/2	.858	Z	-	27	68.4684
12 3/4	.866	-	-	-	-
13	.874	-	-	-	-

Aluminum Ring Mandrel
T-503



Steel Ring Mandrel
T-635



Economy Plastic Ring Mandrel
T-636



**Laser Engraved Ring Mandrel with Groove
& Perfect Match Finger Gauge**

These precision crafted tools are created to take the worry out of matching finger size with ring size.

Finger Gauge
T-738

Graduated in US standard half sizes from 1-15.



Ring Mandrel
T-739

Measures from size 1-16.



Flat Finger Gauge

Nickel plated for years of use at the retail level. Graduated in U.S. standard half sizes from size 1 to 15.

T-694



New Superfit® Accusizers

The most precise and versatile gauge for finger sizing on all standard and speciality shanks. Used to determine size at the base of the finger regardless of knuckle size.

Full & 1/2 sizes, 2 through 11.5

T-917



Wide Finger Gauge

This wide finger gauge is perfect for fitting wedding rings, class rings and other wide rings. It prevents resizing due to improper fitting with smaller ring gauges. Graduated in U.S. standard half sizes from size 1 to 15.

Made of nickel plated brass.

T-695



Plastic Finger Gauge

Graduated in quarter sizes from 1 1/4 to 12 3/4.

T-506



Half Round Finger Gauge

Graduated by half sizes
Sizes 1 to 13.

T-505



1/4 Finger Gauge

Graduated in quarter sizes from 1 1/4 to 12 3/4.

T-861

Mark-A-Size

Resize rings accurately from 1/4 size up to 3 sizes. Etches directly onto the ring shank and marks the area that the jeweler would remove for correct sizing.

T-582



Ring Stretcher with Reduction Wheel

This premium ring stretcher both reduces and enlarges rings up to size 15. The highly polished six-spline mandrel is graduated in U.S. sizes for smoothly and accurately enlarging rings. The reversible base plate has 16 smoothly-honed reduction dies which will not scratch and allows for reducing bands up to 12mm wide by compression. Italian-made, upright compact model assures the finest quality.

T-870



Multi Purpose Measuring Tool

- MM/Inch gauge with lanyard
- Measures up to 2" or 50mm
- Measures finger size, ring size, stone size, inside and outside dimensions and thickness of items.
- 3 3/8" x 2 1/8" indestructible yellow card with most diamond measurements.

T-661



Presidium Inside Ring Engraver

This engraver makes a great companion for all jewelry trades. It is manufactured to the highest standard with hardened powder-coated paintwork. It is compact and includes a diamond engraving tip, dial template, 5 brass sample rings, dust cover and complete instructions. Approx Weight 20lbs.

T-815

- Easy template installation
- Template with English Block Type Font, sizes 5 & 10mm
- Wide ring holding capacity
- Adjustable letter spacing

Optional Dial Template

New

Standard English Script Type
Use this two-sided dial for Script engraving.

Lowercase measures 5mm
and uppercase measures 11mm.

T-815SD

Replacement Engraving Tip

New

Diamond Engraving Tip

T-815ED

